

Euro Merchandising Systems

Spot
Puck
Ultra-Puck
Fly
Expo-Pole

Euro Merchandising Systems

PAGE NO#	
E1	'SPOT' Display system
E2	'SPOT' Wall Panels
E3	'SPOT' Accessories
E4	'SPOT' Accessories
E5	'SPOT' Gondola
E6	'SPOT' Gondola
E7	'SPOT' Platform Applications
E8	'SPOT' Platforms
	'SPOT' Platform Fittings
	'FLY' Display System
E11	'FLY' Wall Applications
E12	'FLY' Gondola
E13	'FLY' Frames & Mountings
E14	'FLY' Accessories
E15	Ultra Puck Systems
E16	PUC/Ultra Puck Fittings
E19	PUC System
E18	EXPO-POLE

SPOT DISPLAY SYSTEM

- · SPOT is a unique display system representing the ideal solution to many situations in the field of modern point-of-sale.
- Its minimalist appearance and custom placement options ensure that the system is eminently suitable for any up-market retailer.
- · SPOT's innovative concept involves the placement of chrome-plated bushings into decorative MDF panels. This special system, which allows for a very flexible layout of accessories, is ideal for both vertical and horizontal layouts, including gondolas, windows and small tables.







AP5713 x 1pc 1800 (L) x 1200 x 18mm



AP5725 x 2pcs



AP5772 x 2pcs







AP5700 x 12pcs



AP5720 x 1pc



AP5750/12 x 1pc



AP5760 x 1pc



AP5767 x 4pc



AP6876 x 1pc 900 x 400mm

6 PANEL FITTING - ROUND



AP5700

PANEL FITTING - SQUARE



AP5705

COVER CAP

For square fitting.



AP5706

WALL PANELS

Pre-machined 18mm thick melamine panels in a range of convenient sizes. Order panel fittings, wall-mounting brackets and end caps separately. 'SPOT' wall panels are available in the full range of ADP standard melamine finishes.



AP5711

Specify colour. 600mm (W) x 1200mm (H). 1 vertical row of holes.



AP5712

Specify colour. 900mm (W) x 1200mm (H). 3 vertical row of 5 holes.




3 AP5713

Specify colour. 1800mm (W) x 1200mm (H). 3 vertical row of 4 holes.



AP5714

Specify colour. 600mm (W) x 2400mm (H). 1 vertical row of 8 holes.



AP5767

AP5758 - 480mm (L) x 340mm (W)

'SPOT' ACCESSORIES

ADJ. SIDE HANG BRACKET

Use with chrome tubing.



AP5769 - 365mm (L)

MELAMINE SHELF

18mm thick melamine shelf with ABS edging.



AP6846 - 900 x 400mm (L) AP6848 - 1200 x 400mm (L) Specify colour.

SIDE HANG TUBING

25mm dia. chrome tubing.



20 GLASS SHELF

6mm thick clear toughened glass with polished edges and rounded corners.

AP6876 - 900mm x 400mm AP6878 - 1200mm x 400mm

END CAP

With swaged end to prevent hangers sliding off.



AP5770

SHELF CLAMP

For smaller shelves. Maximum thickness shelf 8mm



AP5775

ACRYLIC SHELF

6mm thick clear acrylic shelf with 30mm front lip



AP5776 - 340mm x 165mm

'SPOT' GONDOLA

10 WALL-MOUNT CHANNELS

For concealed panel fixing.

AP5720 - 1100mm (L) AP5721 - 2300mm (L) Sold in pairs.



OPANEL BRACKETS

Screw into pre-machined holes in the back of the wall-mount panels and hook onto wall-mount channels.



AP5723

Sold in pairs.



9 ALUMINIUM END CAP

Flat profile section with concealed fixing.



AP5725 - 1200mm x 53mm **AP5726** - 2400mm x 53mm

GONDOLA FRAME

Knock-down steel tubular frame for free-standing display. Has slotted tube-ends for additional merchandising opportunities. Purchase panels, panel fittings and base shelves separately.



AP5730 - 1050mm (L) x 760mm (W) x 1475mm (H)

GONDOLA PANEL




AP5731 - 1055mm (L) x 1425mm (H) Specify colour - 2 vertical rows of 5 holes.



AP5732 - 1055mm x 400mm Specify colour

'SPOT' GONDOLA APPLICATION EXAMPLE





THE FITTINGS BELOW ARE FOR USE WITH EXPO-POLE - REFER PAGE E18

SHELF BRACKET

40 x 40mm angle - Length - 300mm.



AP6492

GLASS SHELF

Circular shelf with centre hole to slide over tubular upright.



AP6497 - 350mm dia. **AP6498** - 450mm dia.



AP6499 - Bracket set. (3 pieces per set).

VERTICAL PANEL BRACKET

For attaching acrylic or similar lightweight decorative panels to uprights



AP6493

REDUCER SLEEVE

Allows for attment of fittings onto extended upper pole section.



AP6482

'SPOT' PLATFORM APPLICATION EXAMPLE









'SPOT' PLATFORM

DISPLAY BASES & PLATFORMS

25mm melamine with ABS edging pre-machined for 'base fittings'. Select your required components to build a mobile display base or multi-tiered platform to your requirements.



AP5811 - 500mm x 500mm 1 x central hole.



AP5812 - 850mm x 850mm 4 x holes (2 x 2).



AP5814 - 1200mm x 500mm 3 x holes (1 x 3).



6 BASE FITTING



AP5800 M8 thread.



90mm x 90mm x 100mm (H)

THREADED LEG BRACKET



AP5806 - 90mm x 90mm

CASTORS 80mm dia.



AP5807



AP5809 - Braking.

'SPOT' PLATFORM FITTINGS

12 POST - 12MM DIA.

For shelves, signholders etc.
Threaded M8 to fit base fitting.

AP5820 - 200mm (H) **AP5821** - 400mm (H) **AP5822** - 600mm (H) **AP5823** - 800mm (H)



For attaching body forms or building multi-tiered platforms.

AP5840 - 200mm (H) AP5841 - 400mm (H) AP5842 - 600mm (H) AP5843 - 800mm (H)



4 ACRYLIC SIGNHOLDERS

Fits to top of posts.

AP5825 - A5 Portrait AP5826 - A5 Landscape AP5827 - A4 Portrait AP5828 - A4 Landscape

SLIDING PLATE

Fits into 24mm dia. posts for screwing to underside of platforms.



AP5845 - 75mm (H) **AP5846** - 300mm (H)

OSLOPING SHELF



40 BUST FITTING

Sliding inserts fits into 25mm dia. posts



AP5831 - 230mm x 300mm

SHELF SUPPORT

80mm dia. top plate with non-slip surface.



AP5848 - 75mm (H) **AP5849** - 300mm (H)

AP5830 - 230mm x 300mm

GLASS SHELF

6mm toughened glass with polished edges.



AP5832 - 250mm dia **AP5833** - 350mm dia

'FLY'

- FLY is an innovative system of suspended metal frames. The frames are of open deisgn which allows you to enhance the architectural features of the point-of-sale location.
- FLY can be wall mounted or mounted in a floorceiling situation and also available in free-standing gondola configuration to cater to a wide range of display situations.
- FLY is presented in an easy to read format for you to select the appropriate accessories or contact our design staff for a specific quotation on your needs.



'FLY' GONDOLA APPLICATION EXAMPLE





'FLY' WALL MOUNTED APPLICATION EXAMPLE





AP6825 x 12pcs



AP6840 x 1pair



AP6848 x 1pc 1200 (L) x 400mm







600 (L) x 400mm AP6876 x 2pc 900 (L) x 400mm



AP6879 x 12pcs

'FLY' SUSPENDED APPLICATION EXAMPLE











AP6841 x 4pairs 690 x 1600mm (H)

2



AP6875 x 1pc 600 x 400mm AP6876 x 5pcs 900 x 400mm



'FLY' GONDOLA

OEND FRAME UPRIGHT

40 x 15 tubing, slotted at 50mm centres on 2 sides.



22 CENTRAL HANGING BAR



AP6850 - 1475mm (H)

AP6860 - 935mm (L) **AP6862** - 1035mm (L)

AP6863 - 1235mm (L)

18 CORNER UPRIGHT

40 x 15 tubing, slotted at 50mm centres on 2 sides.



30 CORNER BRACE

For corners and centre uprights.



AP6852 - 1475mm (H)

AP6865 - 95mm x 95mm

19 CENTER UPRIGHT

40 x 15 tubing, slotted at 50mm centres on 2 sides.



99 SHELF BRACKETS

Set of brackets.



AP6854 - 1475mm (H)

OFFICIAL CONNECTING BAR



AP6855 - 910mm (L) **AP6856** - 1010mm (L)

AP6857 - 1210mm (L)

¹⁵ SHFLF

25mm thick melamine shelf with 2mm ABS 'tough' edge.



AP6870 - 600 x 620 **AP6871** - 900 x 620 **AP6873** - 1000 x 620 **AP6874** - 1200 x 620

OPEND CONNECTING BAR



AP6859 - 588mm (L)

PLASTIC TUBE CAPS

To suit 40 x 15 gondola tubing.



AP6851 - Chrome finish.



AP6853 - Black.

SUSPENDED FRAME

Metal frame with bottom rail and 2 side rails with tubing slotted at 187.5mm centres taking hanging bars.



1 AP6800 - 690mm (L) x 1600mm (H) **AP6802** - 990mm (L) x 1600mm (H)

AP6804 - 1090mm (L) x 1600mm (H)

AP6805 - 1290mm (L) x 1600mm (H) **AP6810** - 690mm (L) x 2350mm (H)

2 AP6812 - 990mm (L) x 2350mm (H) AP6814 - 1090mm (L) x 2350mm (H) AP6816 - 1290mm (L) x 2350mm (H)

4 SLIDING HOOKS

Pair of adjustable hooks attach to suspended frame and hang over ceiling bar.



AP6807 - 400mm (L)

© CEILING BAR 50 x 25 tubing.

AP6809 - 3000mm (L) May be cut to size.

6 CEILING MOUNT



AP6817 - 80mm (L) **AP6818** - 300mm (L)

CEILING BAR CLAMP

4-sided metal frame for wall-mounting (bottom of frame rests on floor). Tubing slotted at 200mm centres for taking hanging bars.



AP6819

• FLOOR FRAME

4-sided metal frame for wall-mounting (bottom of frame rests on floor). Tubing slotted at 200mm centres for taking hanging bars.



AP6820 - 690mm (L) x 2375mm (H) **AP6822** - 990mm (L) x 2375mm (H) **AP6824** - 1090mm (L) x 2375mm (H)

AP6826 - 1290mm (L) x 2375mm (H)

WALL BRACKET

Adjustable wall bracket - 200 - 355mm



'FLY' ACCESSORIES

11 HANGING BAR

Tightens into sides of frames.



OSHFLE BRACKETS

AP6836 - 1210mm (L)

Pair of brackets for upper shelves. Sit on hanging bar.



AP6840 - 250mm (L) Pair of backets.

19 SHELF BRACKETS

Pair of brackets for lower shelves. Sit on hanging bar.



AP6841 - 250mm (L) Pair of backets

MELAMINE SHELVES

18mm thick melamine shelf with 2mm thick ABS edging.



AP6845 - 600mm x 400mm **AP6846** - 900mm x 400mm **AP6848** - 1200mm x 400mm

6 GLASS SHELVES

6mm thick toughened glass with polished edges.



99 GONDOLA SHELF BRACKETS

2-position bracket at horizontal or 20° downslope.



8mm Thick

AP6880 - 240mm (L)



18mm Thick

AP6881 - 240mm (L)



AP6882 - 240mm (L)

SHELF REST
Suction cup for attaching glass shelves to brackets.



AP6879

ULTRA-PUCK SYSTEM



ULTRA-PUCK SYSTEM

- This amazing system provides an economical display method for lightweight merchandise.
- . This is a minimalist system that allows for custom placement of "Ultra-Pucks" according to your requirements.
- ULTRA-PUCK fittings come in 2 sizes to fit 2 panel thicknesses - 18mm in a range of colours to match or contrast standard melamine sheets, or 12mm in clear finish that can be used to stunning effect in acrylic feature panels.



ULTRA-PUCK FITTING

For 12mm thick panel.





AP5600 Available in clear finish only

OVAL SHELF W/TICKET HOLDER

Shelf size - 250 x 100mm, Ticket size 100 x 25mm Frosted clear finish.



AP5624

AP5640

ULTRA-PUCK FITTING

For 18 - 20mm thick panel.



Available in Black (BL), White (WH) or Silver (SIL) finish plastic.

SWIVEL SHOE BRACKET - SINGLE

With toe stop. Swivels 0 - 180° to desired location.



OVAL SHELF

Frosted clear finish - 250 x 100mm.









AP5621 Black (BL), or White (WH).

SWIVEL SHOE BRACKET - DOUBLE

With toe stop. Each shelf swivels independently to desired location.



AP5642

PUC / ULTRA PUCK FITTINGS

SHELF SUPPORT

With suction cup shelf rests. Length - 200mm.

AP5630 Clear plastic

AP5631 Coloured plastic. Available in white or black.

SHELF BRACKET

12mm dia. rounf tubing with 'O' rings for shelf rests. Length - 300mm.



THE FITTINGS BELOW ARE FOR PUC SYSTEM - PAGE E17

HANGER SUPPORT

With slot for metal hanger, Length - 175mm.



PUC CROSSBAR BRACKET

For use with rectangular tubing.



AP5138

Available in chrome or black finish.



PUC HANGRAIL BRACKET

For side-hanging using rectangular tubing.



Chrome finish.

STRAIGHT FACEOUT



RECTANGULAR TUBING & END CAP 38mm x 13mm. AP853/6 - 1830mm

AP853/8 - 2440mm AP853/A - Push in end cap - 20mm x 50mm

Available in chrome (C) or black (B)

WATERFALL FACEOUT



DISPLAY PRONGS



AP5125 - 150mm (L) AP5126 - 250mm (L)

Available in chrome (C) or satin chrome (SC).

PUC SYSTEM

- The PUC system is a discreet yet highly functional display system that is designed to emphasise your merchandise.
- Individual PUCs can be positioned independently at any height or spacing on any solid board material or metal frame
- Accessories have a special notched backplate which simply slides over the machined PUC, allowing for quick and effective merchandising.
- . The simplicity of attachment allows for the system to be used in a number innovative applications.





Notched backplate fits over metal 'PUC' fitting.

PUC FITTING

Solid steel machined fitting - 38mm dia. x 16mm deep. Simple installation only requires 2 off 6.5mm dia. holes at 25mm between centres. Fastens from behind the panel with screw and plate provided.



LINGERIE FACEOUT

12mm Dia tube with 25mm front disc Length - 300mm.

AP5124

Available in chrome finish.

AP5130

FACFOUT

Can also be used as a shelf bracket with front retaining lip.



AP5120/06 - 150mm (L) AP5120/12 - 300mm (L) AP5120/16 - 400mm (L)

Available in chrome (C) or satin chrome (SC) or black (B).

STEPPED FACEOUT

Overall length - 400mm.

AP5123

Available in chrome (C) or satin chrome (SC)



WATERFALL FACEOUT

7 ball stop. Length 400mm.

AP5121

Available in chrome (C) or satin chrome (SC).



RISER WATERFALL

Extends 200mm high, sloping arm 300mm long with 6 cube stops.



AP5129

Available in chrome finish.

EXPO-POLE



FXPO-POLE

EXPO-POLE is a unique and versatile system that is ideal for temporary and permanent exhibits and store displays. Telescopic aluminium poles tension between floor-ceiling from 2.5mtr to 3.6mtr with no fastening necessary (on lighter weight displays), allowing you to setup a display with minimal time and disruption to your store operation.

Fittings clamp on to the pole at any height and you can then hang your choice of accessories off these, allowing you unlimited flexibility for attaching banners, hangrails, shelving, etc...





Floor-Ceiling Pole - Telescopic

AP6480 - For ceiling heights 2.5 - 3.6mtr. Available with either top mounting (above).

Wall-Mounted Pole - Non-Telescopic (not pictured)

AP6495 - 2400mm high - Attach to wall with 2 x AP6485 brackets & 2 x AP6481 Octopus clamps.

SEE FURTHER SELECTION OF ACCESSORIES - PAGE E6

OCTOPUS CLAMP

Slides apart to fit over pole and tightens securely at your desired height. Allows for attachment of accessories on 3 sides.



HANGRAIL

Rectangular aluminium section with fittings on each end to fit onto octopus clamp. Length - 1100mm.



AP6486

AP6481

WALL-MOUNT BRACKET

Length - 300mm. 2 brackets recommended per upright. Attaches onto Octopus connectors





SHELF BRACKET

Aluminium bracket for use with 8mm thick glass or acrylic shelf.



AP6490

SPRING CLAMP

Clear plastic spring clamp for attaching graphics, etc.



SHELF BRACKET

Rectangular aluminium section. Length - 300mm.



AP6491

AP6485